



GENERAL STAIR NOTES

1. PROVIDE METAL STAIR WITH WOOD TREADS BETWEEN EACH FLOOR LEVEL.
2. PAINT STEEL COMPONENTS OF STAIR UNLESS FINISH IS NOTED OTHERWISE. COLOR TO BE SELECTED BY ARCHITECT.
3. STEPS WITHIN A RUN OF STAIRS ARE TO BE A 7" MAX. RISER AND AN 11" MAX. TREAD.
4. STEPS ARE TO HAVE A 1" MAX. NOSING.
5. PROVIDE MANUFACTURER STANDARD HANDRAILS AND GUARDRAILS WHICH COMPLY WITH GOVERNING CODES.
6. PROVIDE GUARDRAILS ON THE OPEN SIDES OF STAIR RUNS. AN OPEN SIDE IS ANY GAP WIDER THAN 2" THAT HAS A VERTICAL FALL GREATER THAN 30" AND DOES NOT ALREADY HAVE A GUARD STRUCTURE AT LEAST 42" HIGH FROM THE NOSE OF THE TREAD.
7. WALL STUD FRAMING CONTRACTOR TO PROVIDE IN-WALL BLOCKING FOR WALL MOUNTED HAND RAILS.
8. SEE GENERAL RAILING NOTES.

browning day

626 North Illinois Street
Indianapolis, Indiana 46204
Phone: (317) 635-5030
Website: www.browningday.com

CRDV Findlay Market LLC
Owner

1733 W Lane Avenue
Columbus, Ohio 43221
(513) 559-0048
<https://www.cohatch.com>

The Model Group
Contractor

1826 Race Street
Cincinnati, Ohio 45202
(513) 559-0048
<https://modelgroup.net>

The Kleingers Group
Civil Engineer

6219 Centre Park Drive
West Chester Township, Ohio 45069
Phone: (513) 779-7851
Website: <https://www.kleingers.com>

Lawson Elser Engr
Structural Engineer

650 E. Carmel Dr., Suite 150
Carmel, IN 46032
Phone: (317) 574-9409x2
Website: www.lawsonelser.com

Gooderum & Assoc.
MEP Engineer

874 Cheltenham Way
Avon, IN 46123
Phone: (317) 506-8151

Brightstone Creative
Tenant Designer

25 North Street
Dublin, Ohio 43017
Phone: (614) 578-0249

COhatch
Tenant

1733 W Lane Avenue
Columbus, Ohio 43221
(513) 559-0048
<https://www.cohatch.com>



CERTIFICATION

Construction Documents

COhatch - Leader Building

132 W Elder St, Cincinnati,
Ohio, 45202

Project No.: 21023.A
Drawn By: Author
Checked By: Checker
Scale: See Drawing
Issue Date: November 18, 2022

| REVISION SCHEDULE | | |
|-------------------|----------------------|------------|
| Rev. # | Revision Description | Issue Date |

S Stair Plans and Sections

A4.01